

L Number	Hits	Search Text	DB	Time stamp
22	2624	(709/(203,217,219).ccls) and (345/(744,807).ccls.) and (715/(501.1).ccls.) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 15:47
23	0	((reassign\$3 or re-assign\$3) with first with current ) and ((709/(203,217,219).ccls) and (345/(744,807).ccls.) and (715/(501.1).ccls.) and @ad<20010117)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 15:48
24	5	((709/(203,217,219).ccls) and (345/(744,807).ccls.) and (715/(501.1).ccls.) and @ad<20010117) and (frame\$1! or frameset or (set or plurality or number or multiple) near3 frame) with (pointer or identifier or id) and ((thin or low or small or limit\$) adj3 (screen or display or window or power ro device or computer))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 15:51
-	0	(HTML adj document) with (wireless or WML or HDML) same (frame\$1! or page\$1!) with (context adj indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:44
-	0	(HTML adj document) same (wireless or WML or HDML) same (frame\$1! or page\$1!) with (context adj indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:44
-	1	(HTML adj document) same (wireless or WML or HDML) and (frame\$1! or page\$1!) with (context adj indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:45
-	317	((HTML adj document) or frame) near3 handl\$3 same (wireless or thin or WML or HDML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:55
-	0	((HTML adj document) or frame) near3 handl\$3 same (wireless or thin or WML or HDML) ) and (709/217,219,236).ccls. and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:50
-	0	((HTML adj document) or frame) near3 handl\$3 same (wireless or thin or WML or HDML) ) and (709/(217,219,236).ccls.) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:50
-	236	((HTML adj document) or frame) near3 handl\$3 same (wireless or thin or WML or HDML) ) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:51
-	0	((HTML adj document) same (frame\$1! near3 (manag\$3 or handl\$3))) same (portable or wireless or thin or WML or HDML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:56
-	1	((HTML adj document)and (frame\$1! near3 (manag\$3 or handl\$3))) same (portable or wireless or thin or WML or HDML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:56
-	644	(HTML adj document) same (portable or wireless or thin or WML or HDML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:57

-	42	((HTML adj document) same (portable or wireless or thin or WML or HDML) ) and (709/217,219.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 09:57
-	29	((HTML adj document) same (portable or wireless or thin or WML or HDML) ) and (709/217,219.ccls.) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:02
-	24	(HTML adj (page or document)) with (frameset or (frame adj set) or (multiple adj2 frames)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:36
-	0	(HTML adj (page or document)) with (frameset or (frame adj set) or (multiple adj2 frames)) same (portable or wireless or thin or WML or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 12:03
-	3	(HTML adj (page or document)) and (frameset or (frame adj set) or (multiple adj2 frames)) same (portable or wireless or thin or WML or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:31
-	0	((generat\$3 or creat\$3) near4 ((data adj structure) or tree or list or table) with frameset\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:29
-	60536	( ((data adj structure) or tree or list or table) with (frameset\$1! or frames))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:30
-	80	( ((data adj structure) or tree or list or table) with (frameset\$1! or frames) same (HTML adj2 (document or page)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:30
-	46	(( ((data adj structure) or tree or list or table) with (frameset\$1! or frames) same (HTML adj2 (document or page)))) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:32
-	16	(( ((data adj structure) or tree or list or table) with (frameset\$1! or frames) same (HTML adj2 (document or page)))) and (portable or wireless or thin or WML or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 14:32
-	0	(Display\$3 or render\$3) near4 (HTML adj (document or page)) with ((multiple near2 frames) or frameset or (frame adj set)) same (wireless or thin or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:39
-	0	(Display\$3 or render\$3) with (HTML adj (document or page)) with ((multiple near2 frames) or frameset or (frame adj set)) same (wireless or thin or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:40
-	0	(Display\$3 or render\$3) with (HTML adj (document or page)) same ((multiple near2 frames) or frameset or (frame adj set)) same (wireless or thin or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:39
-	0	(HTML adj (document or page)) same ((multiple near2 frames) or frameset or (frame adj set)) same (wireless or thin or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:39

-	7	(Display\$3 or render\$3) with (HTML adj (document or page)) with ((multiple near2 frames) or frameset or (frame adj set)) and (wireless or thin or portable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:40
-	8	(Display\$3 or render\$3) with (HTML adj (document or page)) with ((multiple near2 frames) or frameset or (frame adj set)) and (wireless or thin or portable or WML or HDML)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:46
-	153	((context adj indicator) or track\$3 adj information ) with (pointer or URL)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 15:49
-	80	((context adj indicator) or track\$3 adj information ) with (pointer or URL)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:03
-	0	(maintain\$3 or manag\$3 or handl\$3) near3 (frames or frameset\$1!) same (HTML adj (page\$1! or document)) same (send\$3 or transmit\$4 or transfer\$3) near5 (id or identifier or identification or indicator) near3 (list or table or record or entry or (data adj structure) or array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:06
-	0	(frames or frameset\$1!) same (HTML adj (page\$1! or document)) same (send\$3 or transmit\$4 or transfer\$3) near5 (id or identifier or identification or indicator) near3 (list or table or record or entry or (data adj structure) or array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:06
-	2	(frames or frameset\$1!) same (HTML adj (page\$1! or document)) same (send\$3 or transmit\$4 or transfer\$3) with (id or identifier or identification or indicator) with (list or table or record or entry or (data adj structure) or array)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:07
-	1	"6366650".PN.	USPAT	2004/06/09 16:09
-	1	"6353661".PN.	USPAT	2004/06/09 16:40
-	14	select\$3 adj3 frame\$1! with (display\$3 or render\$3) near4 (wireless or Portable or thin or telephone or PDS)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:49
-	4	(select\$3 adj3 frame\$1! with (display\$3 or render\$3) near4 (wireless or Portable or thin or telephone or PDS)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/09 16:49
-	2	maintain\$3 adj4 frame adj3 context	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:57
-	3463	pointer near3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:58
-	0	((data adj structure) or table) near4 pointer adj3 each adj3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 13:59
-	0	((data adj structure) or table) with pointer adj3 each adj3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:00

-	0	pointer adj3 each adj3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:00
-	0	pointer near each adj3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:00
-	0	pointer near3 each near4 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:00
-	2201	pointer adj3 frame	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:01
-	1	pointer adj3 frame with frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:01
-	1	pointer adj3 frame same frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:01
-	37	pointer adj3 frame same (frame adj set)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:36
-	3	frame with pointer with (context adj indicator)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:39
-	518	frame with pointer with ( indicator or id or identifier or identification)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 14:44
-	405	(frame with pointer with ( indicator or id or identifier or identification)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 15:01
-	26	(frame with pointer with ( indicator or id or identifier or identification)) and (handl\$3 adj3 frame\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 15:43
-	262	display\$3 adj3 multiple near2 frame\$1! and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:28
-	3	(maintain\$3 or manag\$3 or handl\$3) adj4 frame\$1! adj4 context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/28 16:29
-	126288	(track\$3 or trac\$3 or handl\$3) with (frame ajd3 (display\$3 or render)) with (frame ajd3 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:23

-	625	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) with (frame ajd3 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:23
-	0	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) with (frame adj3 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:26
-	0	(track\$3 or trac\$3 or handl\$3) with (frame near5 (display\$3 or render)) with (frame near6 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:24
-	0	(track\$3 or trac\$3 or handl\$3) same (frame near5 (display\$3 or render)) with (frame near6 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:26
-	0	(track\$3 or trac\$3 or handl\$3) same (frame near5 (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	0	(frame near5 (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	0	(frame with (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	1	(frame with (display\$3 or render)) with (frame with ("not" near5 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	625	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:26
-	1	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) same (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:27
-	3	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:32
-	34	(track\$3 or trac\$3 or handl\$3 or manag\$3 or monitor\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:34
-	26	((track\$3 or trac\$3 or handl\$3 or manag\$3 or monitor\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:48
-	107	frame adj context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:49

-	0	HTML with frame adj context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:49
-	1	HTML same frame adj context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:00
-	2195	pointer adj4 frame and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:24
-	0	(data adj structure) with (pointer adj4 frame) same (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:02
-	0	(data adj structure) with (pointer adj4 frame) and (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:02
-	0	(pointer adj4 frame) same (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:02
-	0	(pointer adj4 frame) same (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:03
-	24	((link or URL or (pointer adj4 frame))) same (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:23
-	0	((link or URL or pointer) adj4 frame)) same (reduc\$3 adj content) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:24
-	0	pointer adj4 frame same frameset and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:25
-	2	pointer adj4 frame and frameset and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:31
-	107	frame adj context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:32
-	11	frame adj context and (web or html) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:55
-	99517	(tree or (data adj structure) with pointers with frame\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:57

-	55	((tree or (data adj structure)) with pointers near5 frame\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 15:58
-	3	((set or multiple) near3 frame\$1!) or frameset) with ((first or second or next or last) adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:42
-	17	((set or multiple) near3 frame\$1!) or frameset) same ((first or second or next or last) adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:43
-	6	((set or multiple) near3 frame\$1!) or frameset) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or window or power) same (pointer\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 09:56
-	43	((set or multiple) near3 frame\$1!) or frameset\$1!) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or window or power) same (pointer\$1! or URL or link\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 10:00
-	22	((set or multiple) near3 frame\$1!) or frameset\$1!) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or window or power) same (pointer\$1! or URL or link\$3)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:05
-	34	handl\$3 adj3 multiple adj3 frame\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:11
-	192	multiple adj3 frame\$1! same pointer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:11
-	0	(( multiple adj3 frame\$1! same pointer\$1) and @ad<20010117) and (display\$3 or render\$3) adj3 frame\$1! adj3 simultaneous\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:12
-	150	( multiple adj3 frame\$1! same pointer\$1) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:27
-	0	( multiple adj3 frame\$1! same pointer\$1) and @ad<20010117 and backtrack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:13
-	0	(( multiple adj3 frame\$1! same pointer\$1) and @ad<20010117) and @ad<20010117 and backtrack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:13
-	11	( multiple adj3 frame\$1! same pointer\$1) and @ad<20010117 and wireless	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:13
-	47	track\$3 adj7 frame\$1! with (display\$3 or render\$3) and (limit\$3 or small or reduc\$3) adj3 (screen or content or power or rate or window) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:40

-	242	(handl\$3 or track\$3 )adj7 frame\$1! adj5 (display\$3 or render\$3) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:40
-	242	(handl\$3 or track\$3 ) adj7 frame\$1! adj5 (display\$3 or render\$3) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:41
-	2	(handl\$3 or track\$3 ) adj7 frame\$1! adj5 (display\$3 or render\$3) with (HTml or WAP or DHML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/30 18:41
-	94	keep\$3 adj track\$3 with (content or frame or document or page) near4 (display\$3 or render\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:37
-	78	(keep\$3 adj track\$3 with (content or frame or document or page) near4 (display\$3 or render\$3)) and @ad<20020117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 09:49
-	75	keep\$3 adj track\$3 with (nt or frame or document or page) near4 (display\$3 or render\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:38
-	12	track\$3 near4 (frame\$1!) near4 (display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:40
-	799	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) same (limit\$3 ajd screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:41
-	8	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) same (limit\$3 ajd screen) with (HTML or web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:51
-	43	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) with pointer\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 10:51
-	33	( (display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) with pointer\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:02
-	5	(first adj pointer) near5 (first adj frame) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:28
-	0	((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) with pointer with doccument and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:33
-	0	((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) same pointer with doccument and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 11:33



-	0	((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) and pointer with document and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 14:58
-	51	(current adj (frame or image or page)) with (previous\$3 or next) adj (frame or image or page) with pointer and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:25
-	113	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:26
-	93	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:26
-	1	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! same (web or page or html or WAP or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:29
-	27	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! and (web or page or html or WAP or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:29
-	248	display\$3 adj3 multiple adj2 frames	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 16:07
-	179	display\$3 adj3 multiple adj2 frames and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:04
-	32402	(context or (data adj structure) or index or file or record or tree) adj (indicator or identifier or id or number or name) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:06
-	9	((context or (data adj structure) or index or file or record or tree) adj (indicator or identifier or id or number or name)) same (limit\$3 adj (display or window or screen or power)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:08
-	85	((context or (data adj structure) or index or tree) adj (indicator or identifier or id or number or name)) and (limit\$3 adj (display or window or screen or power)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:15
-	116	((data adj structure) or tree or graph) near4 pointer same frames and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:26
-	8	(send\$3 or transmit\$4) adj5 ((graph or tree or index or (data adj structure)) near2 (id or number or name or identifier or indicator or identification) with (pointer or reference or URL or link)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:31
-	98	(send\$3 or transmit\$4 or transfer\$4) with ((graph or tree or index or (data adj structure)) near2 (id or number or name or identifier or indicator or identification) with (pointer or reference or URL or link)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:47

-	259	associat\$3 adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:12
-	167	(associat\$3 adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:00
-	20085444	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:05
-	20084668	frame\$3 adj5 ((thin or wireless or limit\$3) adj5 (client or window or screen or display or device)) @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:05
-	2133	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:05
-	5	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) and @ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) with (tree or graph or list or table or (data adj structure)) with pointer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:09
-	0	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 with frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:16
-	0	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 same frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:09
-	6	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 same (frameset\$1! or ((set or multiple or plurality) near2 frames))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:10
-	1	(assign\$3 or associat\$3) adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph) same frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:13
-	2	(assign\$3 or associat\$3) adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph) same (frameset or ((set or multiple or plurality) near3 (frames or page)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:14
-	57	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with (frameset\$1! or ((set or multiple or plurality) near2 frames))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:26
-	162	(frameset\$1! or ((set or multiple or plurality) near2 frames)) same (render\$3 or display\$3) with ((thin or wireless or limit\$4 or portable or low or small) near3 (screen or display or window or computer or device or power))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:30

-	4	(frameset\$1! or ((set or mulitple or plurality) near2 frames)) same (render\$3 or display\$3) with ((thin or wireless or limit\$4 or portable or low or small) near3 (screen or display or window or computer or device or power)) same pointer\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:29
-	113	( (frameset\$1! or ((set or mulitple or plurality) near2 frames)) same (render\$3 or display\$3) with ((thin or wireless or limit\$4 or portable or low or small) near3 (screen or display or window or computer or device or power))) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:22
-	190	frame adj context	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:23
-	107	(frame adj context) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:23
-	0	("20020095475.did.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:33
-	2	20020095475.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:44
-	1	current adj context adj indicator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:45
-	4470	current adj3 indicator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 08:45
-	44	current adj3 indicator with frames	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:21
-	0	(page adj (id or name)) with (pointer adj4 frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:22
-	1	(page adj (id or name)) with ((id or link or pointer) adj4 frame)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 09:22
-	1527	frame adj3 (sen\$4 or display\$3 or transfer\$4) adj3 first	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 17:53
-	7	frame adj3 (sen\$4 or display\$3 or transfer\$4) adj3 first same ((small or limit\$3) near3 (screen or display or window or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:30
-	3	track\$3 adj5 frame\$1! adj3 (sen\$4 or display\$3 or transfer\$4) adj3 first and ((small or limit\$3) near3 (screen or display or window or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:32

-	25	track\$3 adj5 frame\$1! adj3 (sen\$4 or display\$3 or transfer\$4) and ((small or limit\$3) near3 (screen or display or window or view))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:39
-	95462	set\$3 adj5 (pointer or indicator) adj4 (frame or page or URL) adj4 current\$3 adj5 (display\$3 or transmit\$3 or transfer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:41
-	0	set\$3 adj5 (pointer or indicator) adj4 (frame or page or URL) adj4 current\$3 adj5 (display\$3 or transmit\$3 or transfer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:41
-	1	set\$3 adj5 (pointer or indicator) adj4 (frame or page or URL) with current\$3 with (display\$3 or transmit\$3 or transfer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:42
-	37	set\$3 adj5 (pointer or indicator) same (frame or page or URL) with current\$3 with (display\$3 or transmit\$3 or transfer\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:43
-	29	(set\$3 adj5 (pointer or indicator) same (frame or page or URL) with current\$3 with (display\$3 or transmit\$3 or transfer\$4)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/06 18:43
-	0	(reassign\$3 or re-assign\$3) adj5 first adj8 current with recei\$3 adj5 first same ((frame or page) with pointer\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 11:26
-	0	(reassign\$3 or re-assign\$3) adj5 first adj8 current with recei\$3 adj5 first and ((frame or page) with pointer\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 11:26
-	0	(reassign\$3 or re-assign\$3) with first with current same ((frame or page) with pointer\$1!)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 11:27
-	24	(reassign\$3 or re-assign\$3) with first with current	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 11:27
-	11	((reassign\$3 or re-assign\$3) with first with current ) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/11 15:48